



13 June 1960

SUBJECT: Contract A-101, Corrections to Amendment 18

TO: Contracting Officer

25X1A Reference is made to a recent telephone conversation between [redacted] in which the following discrepancies in Amendment 18 to Contract A-101 were discussed:

a. Paragraph F.4.e, Page 20 - Reflects a requirement for five each "L" Racks. This requirement was cancelled. Reference WSPD letter dated 14 May 1959.

b. Paragraph F.4.g, Page 20 - Calls for five each "N" Racks. Only four each are required. Reference WSPD letter dated 6 February 1959.

25X1A c. Paragraph H.6.b, Page 29 - Lists a requirement for four each kits for the "K" Rack. Only three each are required.

[redacted] of Thompson-Ramo Wooldridge and [redacted] (WSSC) have recommended that the above cited paragraphs be corrected as noted. This will bring equipment deliveries and actual FOG requirements in line with one another. It is requested that these corrections be incorporated in the subject contract at an early date.

cc: WND

WES:maw

4  
CLASSIFIED  
NO CHANGE IN CLASS ☐  
CLASSIFICATION  
CLASS CHANGED TO: TS ☒ 2011  
NEXT REVIEW DATE:  
AUTH: HR 70-2  
DATE: 12/1/81 REVIEWER: 010956